

Overview



BioBlend Super White Oils are colorless, odorless, tasteless base oils that are NSF H1 registered. They are for use where direct contact with food may occur. They can also be used in applications where prolonged skin contact may occur and where staining and odor must be minimized.

Typical Properties



Property	ASTM Test Method	WO 5	WO 7	WO 9	WO 10	WO 15	WO 21	WO 35
Product Code		FTF9910005	FTF9910007	FTF9910009	FTF9910010	FTF9910015	FTF9910021	FTF9910035
Color Saybolt		+30	+30	+30	+30	+30	+30	+30
Specific Gravity	D-1298	0.831	0.851	0.852	0.853	.839875	0.863	0.868
Viscosity @40°C, cSt	D-445	10.0	13.3	15.6	19.0	31.0 - 33.5	40.5	67.3
Pour Point °F (°C)	D-97	-11 (-24)	0 (-18)	5 (-15)	10 (-12)	5 (-15)	10 (-12)	16 (-9)
Flash Point °F (°C)	D-92	>320 (160)	>335 (169)	>356 (180)	>365 (185)	265 (129.4)	>399 (204)	>444 (229)

Key Attributes / Approvals







- NSF H1 Food Grade Lubricant
- Meet U.S. Pharmacopeia (USP) / National Formulary (NF) requirements
- Kosher certified
- Meet or exceed U.S. Food and Drug Administration (FDA) requirements:
 - For direct use in food, 21 CFR 172.878
 - For use where incidental food contact may occur, 21 CFR 178.3570
 - For use as technical white oils, 21 CFR 178.3620 (b)
 - For use in animal feed, 21 CFR 573.680
 - For use as a plasticizer in polymeric substances, 21 CFR 178.3740

Primary applications are in food processing and food packaging plants where direct food contact may occur. BioBlend Super White Oils can be used where staining and odors should be minimized. For use where prolonged skin contact may occur.

BioBlend Super White Oils should be stored out of direct sunlight and away from other heat sources. It is recommended that they are stored away from other lubricants, chemicals and foodstuffs in an area that is between 600°F and 850°F. Product should be used within 3 years of manufacture date or 2 years of being opened, whichever comes sooner. It is up to the individual customer to monitor and evaluate the longevity of the product based on their individual storage and handling practices.

See the Safety Data Sheet (SDS) for emergency, proper handling and disposal information.

Rev. BBSWO-03022021

